ELSEVIER

Journal of Organometallic Chemistry 524 (1996) 301–302

Journal of Organometallic Chemistry

Author Index of Volume 524

Abram, U., 67
Adams, H., 263
Aggarwal, V.K., 263
Almeida, S.S.P., 63
Antonova, A.B., 81
Arliguie, T., 293
Aucar, G.A., 1
Avtomonov, E.V., 253

Bitterwolf, T.E., 19
Bochkarev, M.N., 125
Bosch, E., 67
Bosman, W.P., 281
Bosque, R., 247
Botek, E., 1
Brauer, D.J., 225
Bürger, H., 225
Burmakina, G.V., 81

Carpenter, G.B., 71
Chen, W., 87
Cherkasov, V.K., 125
Contreras, R.H., 1
Cowley, A.H., 271
Cromsigt, J.A.M.T.C., 281
Cunningham, D., 289
Curnow, O.J., 267

Decken, A., 271
De Gelder, R., 281
Deykhina, N.A., 81
Dittmar, T., 225
Dörfler, U., 169
Duarte, M.T., 63

Eckert-Maksić, M., 107
Ephritikhine, M., 293
Escarpa Gaede, P., 163

Fedushkin, I.L., 125
Fiedler, J., 195
Fierro, R., 19
Filippou, A.C., 133
Fouquet, E., 103
Fraústo Da Silva, J.J.R., 63
Frenzel, A., 203

Gal, A.W., 281
Galvão, A.M., 63
Ginzburg, A.G., 81
Glasovac, Z., 107
Goh, L.Y., 31
Gómez, S., 1
Gormley, F., 63
Graschy, S., 187
Gruber, K., 187
Gspaltl, P., 187
Gutheil, J.P., 71

Haaland, A., 285
Haggata, S.W., 95
Heck, J., 281
Hemling, H., 125
Hengge, E., 187
Herbst-Irmer, R., 203
Herres, M., 49
Heys, J.R., 87
Hinz, I., 133
Hodošček, M., 107
Hui, J.W.-S., 211
Huttner, G., 267

Johansson, A.A., 81
Johnson, B.F.G., 163
Jones, D., 263
Joo, K.-S., 147

Kaim, W., 195
Kehr, G., 169
Kerzina, Z.A., 219
Klingebiel, U., 203, 237
Kociok-Köhn, G., 133
Kolehmainen, E., 219
Korniyets, E.D., 81
Kovács, I., 115
Kühner, S., 285

Laihia, K., 219
Lance, M., 293
Lang, H., 49
Lesar, A., 107
Liable-Sands, L.M., 19
Lindner, E., 67
López, C., 247
Lorberth, J., 253
Lungwitz, B., 133

Maichle-Mößmer, C., 67
Maisel, H.E., 169
Maksić, Z.B., 107
Malik, M.A., 95
Mamedyarova, I.A., 181
Manning, A.R., 289
McArdle, P., 289
Megges, K., 253
Milius, W., 169
Molander, G.A., 275
Mootz, D., 237
Motevalli, M., 95
Motoyama, I., 9
Müller, P., 41

Nefedova, M.N., 181
Nevodchikov, V.I., 125
Nieger, M., 219
Nierlich, M., 293
Noltemeyer, M., 237
Nuber, B., 49

O'Brien, P., 95
Olazábal, C.A., 271
O'Neill, L., 289

Parsons, S., 163
Pavlenko, N.I., 81
Pawelke, G., 225
Petrovskii, P.V., 81
Pianet, I., 103
Pike, R.D., 71
Polborn, K., 147
Pombeiro, A.J.L., 63
Pritzkow, H., 41

Rakebrandt, H.-J., 237
Raptis, R.G., 31
Reinhardt, R., 195
Rheingold, A.L., 19
Ribeiro, L.M.D., 63
Rissanen, K., 219
Rothe, J., 225
Roulet, T., 103
Rubaylo, A.I., 81
Rudolph, S., 203
Rybinskaya, M.I., 219

Schumann, H., 125
Shu, A.Y.L., 87
Siebert, W., 41
Siegl, H., 187
Sinn, E., 31
Smail, S.J., 267
Smits, J.M.M., 281
Sokolov, V.I., 181, 285
Sproviero, E., 1

Elsevier Science S.A.

Szalontai, G., 115

Takayama, T., 9
Tay, M.S., 31
Turnbull, M.M., 267
Turner, M.L., 263

Ungváry, F., 115

Van den Berg, W., 281
Verona, I., 71
Volden, H.V., 285

Waldhör, E., 195
Walter, O., 49
Watanabe, M., 9
Weidlein, J., 285
Weimann, R., 125
Weinmann, M., 49
Weinmann, S., 49
Wenzel, U., 237
Wiberg, N., 147
Willem, R., 103
Winterfeld, J., 275
Wocadlo, S., 253
Wong, W.-T., 211
Wrackmeyer, B., 169

Yap, G.P.A., 19

Zsolnai, L., 49

ELSEVIER

Journal of Organometallic Chemistry 524 (1996) 303–309

Journal of Organometallic Chemistry

Subject Index of Volume 524

Ab initio calculations
Molecular and electronic structure of 1,2-disilacyclobutabenzenes. Ab initio molecular orbital and density functional study (M. Eckert-Maksić, Z. Glasovac, M. Hodošček, A. Lesar and Z.B. Maksić), 107

Acyl
Carbonylation–decarbonylation reactions of the carbomethoxymethylcobalt complexes $CH_3O_2CCHRCo(CO)_3L$ (R = H, $CH_2CO_2CH_3$; L = CO, PPh_3) and their acyl derivatives (I. Kovács, G. Szalontai and F. Ungváry), 115

Alkyl
Carbonylation–decarbonylation reactions of the carbomethoxymethylcobalt complexes $CH_3O_2CCHRCo(CO)_3L$ (R = H, $CH_2CO_2CH_3$; L = CO, PPh_3) and their acyl derivatives (I. Kovács, G. Szalontai and F. Ungváry), 115
The molecular structure of tetrakis(trimethylstannyl)methane by gas electron diffraction (A. Haaland, V.I. Sokolov, H.V. Volden, S. Kühner and J. Weidlein), 285

Alkyl complexes
Half-sandwich rhenium(III) acyl complexes: synthesis, structure and conversion to rhenium(I) and rhenium(III) isonitrile complexes (A.C. Filippou, B. Lungwitz, G. Kociok-Köhn and I. Hinz), 133

Alkyne-diols
Alkinol- und Alkindiol-funktionalisierte Zirconocen-Verbindungen: Synthese, Struktur und Reaktionsverhalten (H. Lang, S. Weinmann, M. Herres, M. Weinmann, O. Walter, B. Nuber und L. Zsolnai), 49

Alkynes
Formation of vinyl and dithioformate metallacycles by insertion of an ester-functionalized alkyne or carbon disulfide into an Fe–H bond: crystal structure of *cis*-$[Fe(CH{=}CHCOOMe)(Ph_2PCH_2CH_2PPh_2)_2][BF_4]$ (S.S.P. Almeida, M.T. Duarte, L.M.D. Ribeiro, F. Gormley, A.M. Galvão, J.J.R. Fraústo Da Silva and A.J.L. Pombeiro), 63

Alkynols
Alkinol- und Alkindiol-funktionalisierte Zirconocen-Verbindungen: Synthese, Struktur und Reaktionsverhalten (H. Lang, S. Weinmann, M. Herres, M. Weinmann, O. Walter, B. Nuber und L. Zsolnai), 49

Allenes
Organometallic-substituted allenes – determination of coupling signs and molecular structures of two stannylated allenes (B. Wrackmeyer, U. Dörfler, G. Kehr, H.E. Maisel and W. Milius), 169

Arene
Hexanuclear and pentanuclear benzene carbido clusters: synthesis, characterisation and molecular structures of $[Os_6C(CO)_{14}(\eta^6\text{-}C_6H_6)]$, $[RuOs_5C(CO)_{14}(\eta^6\text{-}C_6H_6)]$ and $[RuOs_4C(CO)_{12}(\eta^6\text{-}C_6H_6)]$ (J.W.-S. Hui and W.-T. Wong), 211

Arene complexes
Regioselectivity in the nucleophilic functionalization of dibenzofuran, dibenzothiophene and xanthene complexes of $Mn(CO)_3^+$ (I. Verona, J.P. Gutheil, R.D. Pike and G.B. Carpenter), 71

Arsenic
Syntheses and structures of cyclopentadienyl arsenic compounds. Part I: pentamethylcylopentadienyl arsenic dihalides (Cp^*AsX_2, X = F, Cl, Br, I) (E.V. Avtomonov, K. Megges, S. Wocadlo and J. Lorberth), 253

Arsenic halides
Syntheses and structures of cyclopentadienyl arsenic compounds. Part I: pentamethylcylopentadienyl arsenic dihalides (Cp^*AsX_2, X = F, Cl, Br, I) (E.V. Avtomonov, K. Megges, S. Wocadlo and J. Lorberth), 253

Asymmetric cyclopalladation
Enantiomeric haloruthenocenium salts: synthesis of the first representatives with the use of asymmetric reduction and asymmetric cyclopalladation (I.A. Mamedyarova, M.N. Nefedova and V.I. Sokolov), 181

Asymmetric reduction
Enantiomeric haloruthenocenium salts: synthesis of the first representatives with the use of asymmetric reduction and asymmetric cyclopalladation (I.A. Mamedyarova, M.N. Nefedova and V.I. Sokolov), 181

Bicyclic ring systems
Fluorosilyl(pyrrolyl)silylamines as precursors for intra- and intermolecularly stabilized iminosilanes (A. Frenzel, R. Herbst-Irmer, U. Klingebiel and S. Rudolph), 203

Bicyclic silanes
Novel bicyclic Si-ring systems (P. Gspaltl, S. Graschy, H. Siegl, E. Hengge and K. Gruber), 187

Bimetallic compounds
Synthesis and characterization of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of Cr, Mo and W (R. Fierro, T.E. Bitterwolf, A.L. Rheingold, G.P.A. Yap and L.M. Liable-Sands), 19

2,2′-Bipyridyl complexes
Synthesis and ESR-characterization of radical anion complexes of lanthanum. X-ray crystal structure of the mixed bipy, $bipy^{-1}$ complex of lanthanum(III) $[LaI_2(bipy)(bipy)(DME)]$: evidence for an inter-ligand charge transfer (M.N. Bochkarev, I.L. Fedushkin, V.I. Nevodchikov, V.K. Cherkasov, H. Schumann, H. Hemling and R. Weimann), 125

Bond activation
Synthesis and crystal structure of the first metallabicycle cluster 2a-ruthenacyclopent[c,d]indenyl-triruthenium undecacarbonyl $Ru_4(CO)_{11}C_{15}H_{14}$ (P. Escarpa Gaede, S. Parsons and B.F.G. Johnson), 163

Boron
Organometallic-substituted allenes – determination of coupling signs and molecular structures of two stannylated allenes (B. Wrackmeyer, U. Dörfler, G. Kehr, H.E. Maisel and W. Milius), 169
Reactions of $(CF_3)_2BNMe_2$ with Grignard and related reagents. Crystal and molecular structure of $(CF_3)(Mes)FB\text{–}FC{=}NMe_2$ and

$Ph_3P-CH_2-(CF_3)_2B-NMe_2$ (D.J. Brauer, H. Bürger, T. Dittmar, G. Pawelke and J. Rothe), 225

Carbido
Hexanuclear and pentanuclear benzene carbido clusters: synthesis, characterisation and molecular structures of $[Os_6C(CO)_{14}(\eta^6\text{-}C_6H_6)]$, $[RuOs_5C(CO)_{14}(\eta^6\text{-}C_6H_6)]$ and $[RuOs_4C(CO)_{12}(\eta^6\text{-}C_6H_6)]$ (J.W.-S. Hui and W.-T. Wong), 211

Carbon disulfide
Formation of vinyl and dithioformate metallacycles by insertion of an ester-functionalized alkyne or carbon disulfide into an Fe–H bond: crystal structure of *cis*-$[Fe(CH{=}CHCOOMe)(Ph_2PCH_2CH_2PPh_2)_2][BF_4]$ (S.S.P. Almeida, M.T. Duarte, L.M.D. Ribeiro, F. Gormley, A.M. Galvão, J.J.R. Fraústo Da Silva and A.J.L. Pombeiro), 63

Carbon monoxide
Synthesis, characterization, and molecular structure of $[(CH_3)_2(C_5H_4)_2]Fe_2(\mu\text{-}CO)_2(CO)_2$ (W. Van den Berg, J.A.M.T.C. Cromsigt, W.P. Bosman, J.M.M. Smits, R. De Gelder, A.W. Gal and J. Heck), 281

Carbonyl
Carbonylation–decarbonylation reactions of the carbomethoxymethylcobalt complexes $CH_3O_2CCHRCo(CO)_3L$ (R = H, $CH_2CO_2CH_3$; L = CO, PPh_3) and their acyl derivatives (I. Kovács, G. Szalontai and F. Ungváry), 115

Carbonylation
Carbonylation–decarbonylation reactions of the carbomethoxymethylcobalt complexes $CH_3O_2CCHRCo(CO)_3L$ (R = H, $CH_2CO_2CH_3$; L = CO, PPh_3) and their acyl derivatives (I. Kovács, G. Szalontai and F. Ungváry), 115

Chromium
Variable temperature proton NMR study and reductively-induced isomerisation and degradation of $[CpCr(CO)_2(SPh)]_2$. Crystal structure of $Cp_2Co[CpCr(SPh)_3]$ (L.Y. Goh, M.S. Tay, E. Sinn and R.G. Raptis), 31

Cluster
Hexanuclear and pentanuclear benzene carbido clusters: synthesis, characterisation and molecular structures of $[Os_6C(CO)_{14}(\eta^6\text{-}C_6H_6)]$, $[RuOs_5C(CO)_{14}(\eta^6\text{-}C_6H_6)]$ and $[RuOs_4C(CO)_{12}(\eta^6\text{-}C_6H_6)]$ (J.W.-S. Hui and W.-T. Wong), 211
Synthesis and crystal structure of the first metallabicycle cluster 2a-ruthenacyclopent[c,d]indenyl-triruthenium undecacarbonyl $Ru_4(CO)_{11}C_{15}H_{14}$ (P. Escarpa Gaede, S. Parsons and B.F.G. Johnson), 163

Cobalt
Carbonylation–decarbonylation reactions of the carbomethoxymethylcobalt complexes $CH_3O_2CCHRCo(CO)_3L$ (R = H, $CH_2CO_2CH_3$; L = CO, PPh_3) and their acyl derivatives (I. Kovács, G. Szalontai and F. Ungváry), 115
Electron transfer and chloride ligand dissociation in complexes $[(C_5Me_5)ClM(bpy)]^+/[(C_5Me_5)M(bpy)]^n$ (M = Co, Rh, Ir; $n = 2+, +, 0, -$): A combined electrochemical and spectroscopic investigation (W. Kaim, R. Reinhardt, E. Waldhör and J. Fiedler), 195
Variable temperature proton NMR study and reductively-induced isomerisation and degradation of $[CpCr(CO)_2(SPh)]_2$. Crystal structure of $Cp_2Co[CpCr(SPh)_3]$ (L.Y. Goh, M.S. Tay, E. Sinn and R.G. Raptis), 31

Crystal structure
Organometallic-substituted allenes – determination of coupling signs and molecular structures of two stannylated allenes (B. Wrackmeyer, U. Dörfler, G. Kehr, H.E. Maisel and W. Milius), 169
Preparation, properties, and reactions of metal-containing heterocycles. XCIV. Manganese-induced synthesis and crystal structure of 3,5-di(adamant-1-yl)-1-thia-2,4-diphosphole (E. Lindner, E. Bosch, C. Maichle-Mößmer and U. Abram), 67
Variable temperature proton NMR study and reductively-induced isomerisation and degradation of $[CpCr(CO)_2(SPh)]_2$. Crystal structure of $Cp_2Co[CpCr(SPh)_3]$ (L.Y. Goh, M.S. Tay, E. Sinn and R.G. Raptis), 31

Crystal structures
Ein- und Mehrkernkomplexe des 9,10-Dihydro-9,10-dimethyl-9,10-diboraanthracens (P. Müller, H. Pritzkow und W. Siebert), 41
Erzeugung, Nachweis und Stabilisierung isomerer Silaethene $R_2Si{=}C(SiR_3)_2$ mit jeweils sechs Me- und zwei Ph-Substituenten R (N. Wiberg, K.-S. Joo und K. Polborn), 147
Synthese und Kristallstrukturen von Cyclosilazanen mit ungewöhnlichen Konformationen (H.-J. Rakebrandt, U. Klingebiel, M. Noltemeyer, U. Wenzel und D. Mootz), 237

Cyclometallation
Synthesis and crystal structure of the first metallabicycle cluster 2a-ruthenacyclopent[c,d]indenyl-triruthenium undecacarbonyl $Ru_4(CO)_{11}C_{15}H_{14}$ (P. Escarpa Gaede, S. Parsons and B.F.G. Johnson), 163

Cyclopalladation
Mono- and bis(cyclopalladation) of the bis(ferrocenylimine) $[(\eta^5\text{-}C_5H_5)Fe(\eta^5\text{-}C_5H_4)\text{–}CH{=}N\text{–}(C_6H_3\text{-}2\text{-}CH_3)\text{–}]_2$ (C. López and R. Bosque), 247

Cyclopentadienyl
Synthesis and characterization of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of Cr, Mo and W (R. Fierro, T.E. Bitterwolf, A.L. Rheingold, G.P.A. Yap and L.M. Liable-Sands), 19
Synthesis, characterization, and molecular structure of $[(CH_3)_2(C_5H_4)_2]Fe_2(\mu\text{-}CO)_2(CO)_2$ (W. Van den Berg, J.A.M.T.C. Cromsigt, W.P. Bosman, J.M.M. Smits, R. De Gelder, A.W. Gal and J. Heck), 281
Using metal–metal bond forming reactions as a synthetic strategy towards building polymers containing Fe–Fe and Fe–Sn–Fe bonds (P. McArdle, L. O'Neill, D. Cunningham and A.R. Manning), 289

Cyclopentadienyl arsenic compounds
Syntheses and structures of cyclopentadienyl arsenic compounds. Part I: pentamethylcylopentadienyl arsenic dihalides (Cp^*AsX_2, X = F, Cl, Br, I) (E.V. Avtomonov, K. Megges, S. Wocadlo and J. Lorberth), 253

Cyclosilazanes
Synthese und Kristallstrukturen von Cyclosilazanen mit ungewöhnlichen Konformationen (H.-J. Rakebrandt, U. Klingebiel, M. Noltemeyer, U. Wenzel und D. Mootz), 237

Decarbonylation
Carbonylation–decarbonylation reactions of the carbomethoxymethylcobalt complexes $CH_3O_2CCHRCo(CO)_3L$ (R = H, $CH_2CO_2CH_3$; L = CO, PPh_3) and their acyl derivatives (I. Kovács, G. Szalontai and F. Ungváry), 115

Deuteration
Organoiridium catalyzed hydrogen isotope exchange: ligand effects on catalyst activity and regioselectivity (A.Y.L. Shu, W. Chen and J.R. Heys), 87

DFT calculations
Molecular and electronic structure of 1,2-disilacyclobutabenzenes. Ab initio molecular orbital and density functional study (M. Eckert-Maksić, Z. Glasovac, M. Hodošček, A. Lesar and Z.B. Maksić), 107

9,10-Diboraanthracene
Ein- und Mehrkernkomplexe des 9,10-Dihydro-9,10-dimethyl-9,10-diboraanthracens (P. Müller, H. Pritzkow und W. Siebert), 41

Diels–Alder reactions
Erzeugung, Nachweis und Stabilisierung isomerer Silaethene $R_2Si=C(SiR_3)_2$ mit jeweils sechs Me- und zwei Ph-Substituenten R (N. Wiberg, K.-S. Joo und K. Polborn), 147
Digallium compounds
Hybrid inorganic–organometallic compounds with gallium–gallium bonds (A.H. Cowley, A. Decken and C.A. Olazábal), 271
Dimethylaminobis(trifluoromethyl)borane
Reactions of $(CF_3)_2BNMe_2$ with Grignard and related reagents. Crystal and molecular structure of $(CF_3)(Mes)FB–FC=NMe_2$ and $Ph_3P–CH_2–(CF_3)_2B–NMe_2$ (D.J. Brauer, H. Bürger, T. Dittmar, G. Pawelke and J. Rothe), 225
1,2-disilacyclobutabenzene
Molecular and electronic structure of 1,2-disilacyclobutabenzenes. Ab initio molecular orbital and density functional study (M. Eckert-Maksić, Z. Glasovac, M. Hodošček, A. Lesar and Z.B. Maksić), 107
Disilacyclobutanes
Erzeugung, Nachweis und Stabilisierung isomerer Silaethene $R_2Si=C(SiR_3)_2$ mit jeweils sechs Me- und zwei Ph-Substituenten R (N. Wiberg, K.-S. Joo und K. Polborn), 147
Dithioformate
Formation of vinyl and dithioformate metallacycles by insertion of an ester-functionalized alkyne or carbon disulfide into an Fe–H bond: crystal structure of *cis*-$[Fe(CH=CHCOOMe)(Ph_2PCH_2CH_2PPh_2)_2][BF_4]$ (S.S.P. Almeida, M.T. Duarte, L.M.D. Ribeiro, F. Gormley, A.M. Galvão, J.J.R. Fraústo Da Silva and A.J.L. Pombeiro), 63

Electrochemistry
Electron transfer and chloride ligand dissociation in complexes $[(C_5Me_5)ClM(bpy)]^+/[(C_5Me_5)M(bpy)]^n$ (M = Co, Rh, Ir; $n = 2+, +, 0, -$): A combined electrochemical and spectroscopic investigation (W. Kaim, R. Reinhardt, E. Waldhör and J. Fiedler), 195
Mono- and bis(cyclopalladation) of the bis(ferrocenylimine) $[(\eta^5\text{-}C_5H_5)Fe\{(\eta^5\text{-}C_5H_4)–CH=N–(C_6H_3\text{-}2\text{-}CH_3)–\}]_2$ (C. López and R. Bosque), 247
Variable temperature proton NMR study and reductively-induced isomerisation and degradation of $[CpCr(CO)_2(SPh)]_2$. Crystal structure of $Cp_2Co[CpCr(SPh)_3]$ (L.Y. Goh, M.S. Tay, E. Sinn and R.G. Raptis), 31
Electronic structure
Molecular and electronic structure of 1,2-disilacyclobutabenzenes. Ab initio molecular orbital and density functional study (M. Eckert-Maksić, Z. Glasovac, M. Hodošček, A. Lesar and Z.B. Maksić), 107
Electron spin resonance
Electron transfer and chloride ligand dissociation in complexes $[(C_5Me_5)ClM(bpy)]^+/[(C_5Me_5)M(bpy)]^n$ (M = Co, Rh, Ir; $n = 2+, +, 0, -$): A combined electrochemical and spectroscopic investigation (W. Kaim, R. Reinhardt, E. Waldhör and J. Fiedler), 195
Electron transfer
Electron transfer and chloride ligand dissociation in complexes $[(C_5Me_5)ClM(bpy)]^+/[(C_5Me_5)M(bpy)]^n$ (M = Co, Rh, Ir; $n = 2+, +, 0, -$): A combined electrochemical and spectroscopic investigation (W. Kaim, R. Reinhardt, E. Waldhör and J. Fiedler), 195
Ene reactions
Erzeugung, Nachweis und Stabilisierung isomerer Silaethene $R_2Si=C(SiR_3)_2$ mit jeweils sechs Me- und zwei Ph-Substituenten R (N. Wiberg, K.-S. Joo und K. Polborn), 147

ESR spectra
Synthesis and ESR-characterization of radical anion complexes of lanthanum. X-ray crystal structure of the mixed bipy, $bipy^{-1}$ complex of lanthanum(III) $[LaI_2(bipy)(bipy)(DME)]$: evidence for an inter-ligand charge transfer (M.N. Bochkarev, I.L. Fedushkin, V.I. Nevodchikov, V.K. Cherkasov, H. Schumann, H. Hemling and R. Weimann), 125

Ferrocene
First synthesis and X-ray crystal structure of 1,2-(1,1'-ferrocenediyl)ethene (V.K. Aggarwal, D. Jones, M.L. Turner and H. Adams), 263
Molecular structure of α,α-carbonium [1.1]ferrocenylruthenocenophane + BF_4^- salt (M. Watanabe, I. Motoyama and T. Takayama), 9
Mono- and bis(cyclopalladation) of the bis(ferrocenylimine) $[(\eta^5\text{-}C_5H_5)Fe\{(\eta^5\text{-}C_5H_4)–CH=N–(C_6H_3\text{-}2\text{-}CH_3)–\}]_2$ (C. López and R. Bosque), 247
Ferrocene complex
Synthesis and coordination chemistry of the tethered bis(cyclopentadienyl)-phosphine ligand precursor $PPh(CH_2CH_2C_5H_5)_2$: X-ray structure of *trans*-$PdCl_2[PPh(CH_2CH_2\text{-}\eta^5\text{-}C_5H_4)_2Fe]_2$ (O.J. Curnow, G. Huttner, S.J. Smail and M.M. Turnbull), 267
Ferrocenophane
First synthesis and X-ray crystal structure of 1,2-(1,1'-ferrocenediyl)ethene (V.K. Aggarwal, D. Jones, M.L. Turner and H. Adams), 263

Gallium
Hybrid inorganic–organometallic compounds with gallium–gallium bonds (A.H. Cowley, A. Decken and C.A. Olazábal), 271
Gas electron diffraction
The molecular structure of tetrakis(trimethylstannyl)methane by gas electron diffraction (A. Haaland, V.I. Sokolov, H.V. Volden, S. Kühner and J. Weidlein), 285
Geometrical dependence
RPA AM1 calculations of NMR spin–spin coupling constants: geminal $^{119}Sn–^{119}Sn$ couplings (G.A. Aucar, E. Botek, S. Gómez, E. Sproviero and R.H. Contreras), 1
Geometric structure
Molecular and electronic structure of 1,2-disilacyclobutabenzenes. Ab initio molecular orbital and density functional study (M. Eckert-Maksić, Z. Glasovac, M. Hodošček, A. Lesar and Z.B. Maksić), 107
Grignard reagents
Reactions of $(CF_3)_2BNMe_2$ with Grignard and related reagents. Crystal and molecular structure of $(CF_3)(Mes)FB–FC=NMe_2$ and $Ph_3P–CH_2–(CF_3)_2B–NMe_2$ (D.J. Brauer, H. Bürger, T. Dittmar, G. Pawelke and J. Rothe), 225
Group 6
Synthesis and characterization of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of Cr, Mo and W (R. Fierro, T.E. Bitterwolf, A.L. Rheingold, G.P.A. Yap and L.M. Liable-Sands), 19
Group 7
Preparation, properties, and reactions of metal-containing heterocycles. XCIV. Manganese-induced synthesis and crystal structure of 3,5-di(adamant-1-yl)-1-thia-2,4-diphosphole (E. Lindner, E. Bosch, C. Maichle-Mößmer and U. Abram), 67
Group 9
Electron transfer and chloride ligand dissociation in complexes $[(C_5Me_5)ClM(bpy)]^+/[(C_5Me_5)M(bpy)]^n$ (M = Co, Rh, Ir; $n = 2+, +, 0, -$): A combined electrochemical and spectroscopic investigation (W. Kaim, R. Reinhardt, E. Waldhör and J. Fiedler), 195

Group 15
Syntheses and structures of cyclopentadienyl arsenic compounds. Part I: pentamethylcylopentadienyl arsenic dihalides (Cp^*AsX_2, X = F, Cl, Br, I) (E.V. Avtomonov, K. Megges, S. Wocadlo and J. Lorberth), 253

Halogen
Halogen exchange in substituted allyltin halides studied by 2D NMR EXSY as a tool to assess reactivity (E. Fouquet, T. Roulet, R. Willem and I. Pianet), 103

Haloruthenocenium salts
Enantiomeric haloruthenocenium salts: synthesis of the first representatives with the use of asymmetric reduction and asymmetric cyclopalladation (I.A. Mamedyarova, M.N. Nefedova and V.I. Sokolov), 181

Heterocycles
Regioselectivity in the nucleophilic functionalization of dibenzofuran, dibenzothiophene and xanthene complexes of $Mn(CO)_5^+$ (I. Verona, J.P. Gutheil, R.D. Pike and G.B. Carpenter), 71

Hexaruthenium cluster
$[Ru_6(\mu_3\text{-}H)(\eta^2\text{-}\mu_4\text{-}CO)_2(\mu\text{-}CO)(CO)_{12}(\eta^5\text{-}C_5R_5)]$ (R = H or Me): syntheses, X-ray structures and spectroscopic characterization (E. Kolehmainen, K. Rissanen, K. Laihia, Z.A. Kerzina, M.I. Rybinskaya and M. Nieger), 219

Hydrogenation
Organolanthanide catalyzed hydrogenation and hydrosilylation of substituted methylenecycloalkanes (G.A. Molander and J. Winterfeld), 275

Hydrosilylation
Organolanthanide catalyzed hydrogenation and hydrosilylation of substituted methylenecycloalkanes (G.A. Molander and J. Winterfeld), 275

Hyperconjugation
Organometallic-substituted allenes – determination of coupling signs and molecular structures of two stannylated allenes (B. Wrackmeyer, U. Dörfler, G. Kehr, H.E. Maisel and W. Milius), 169

III/V
Novel chiral compounds of Group 13 metals: the X-ray crystal structures of $[((S)\text{-}2\text{-methylbutyl})_2MP^tBu_2]_2$ (M = Ga or In) (M.A. Malik, S.W. Haggata, M. Motevalli and P. O'Brien), 95

Iminosilanes
Fluorosilyl(pyrrolyl)silylamines as precursors for intra- and intermolecularly stabilized iminosilanes (A. Frenzel, R. Herbst-Irmer, U. Klingebiel and S. Rudolph), 203

Indenyl
Synthesis and characterization of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of Cr, Mo and W (R. Fierro, T.E. Bitterwolf, A.L. Rheingold, G.P.A. Yap and L.M. Liable-Sands), 19

Indolylsilanes
Fluorosilyl(pyrrolyl)silylamines as precursors for intra- and intermolecularly stabilized iminosilanes (A. Frenzel, R. Herbst-Irmer, U. Klingebiel and S. Rudolph), 203

Iridium
Organoiridium catalyzed hydrogen isotope exchange: ligand effects on catalyst activity and regioselectivity (A.Y.L. Shu, W. Chen and J.R. Heys), 87

Iron
Formation of vinyl and dithioformate metallacycles by insertion of an ester-functionalized alkyne or carbon disulfide into an Fe–H bond: crystal structure of *cis*-$[Fe(CH{=}CHCOOMe)(Ph_2PCH_2CH_2PPh_2)_2][BF_4]$ (S.S.P. Almeida, M.T. Duarte, L.M.D. Ribeiro, F. Gormley, A.M. Galvão, J.J.R. Fraústo Da Silva and A.J.L. Pombeiro), 63

Molecular structure of α,α-carbonium [1.1]ferrocenylruthenocenophane + BF_4^- salt (M. Watanabe, I. Motoyama and T. Takayama), 9

Synthesis, characterization, and molecular structure of $[(CH_3)_2(C_5H_4)_2]Fe_2(\mu\text{-}CO)_2(CO)_2$ (W. Van den Berg, J.A.M.T.C. Cromsigt, W.P. Bosman, J.M.M. Smits, R. De Gelder, A.W. Gal and J. Heck), 281

Using metal–metal bond forming reactions as a synthetic strategy towards building polymers containing Fe–Fe and Fe–Sn–Fe bonds (P. McArdle, L. O'Neill, D. Cunningham and A.R. Manning), 289

Iron carbonyl derivatives
Chemistry of vinylidene complexes. XII. Transmetalation of the μ-vinylidene ligand in the reaction of $Cp(CO)_2MnPt(\mu\text{-}C{=}CHPh)(dppp)$ with $Fe_2(CO)_9$. Formation of new PtFe, $PtFe_2$ and $PtFe_3$ complexes (A.B. Antonova, A.A. Johansson, N.A. Deykhina, E.D. Korniyets, N.I. Pavlenko, G.V. Burmakina, A.I. Rubaylo, A.G. Ginzburg and P.V. Petrovskii), 81

Isomerisation
Variable temperature proton NMR study and reductively-induced isomerisation and degradation of $[CpCr(CO)_2(SPh)]_2$. Crystal structure of $Cp_2Co[CpCr(SPh)_3]$ (L.Y. Goh, M.S. Tay, E. Sinn and R.G. Raptis), 31

Isonitrile complexes
Half-sandwich rhenium(III) acyl complexes: synthesis, structure and conversion to rhenium(I) and rhenium(III) isonitrile complexes (A.C. Filippou, B. Lungwitz, G. Kociok-Köhn and I. Hinz), 133

Isotope exchange
Organoiridium catalyzed hydrogen isotope exchange: ligand effects on catalyst activity and regioselectivity (A.Y.L. Shu, W. Chen and J.R. Heys), 87

Kinetics
Halogen exchange in substituted allyltin halides studied by 2D NMR EXSY as a tool to assess reactivity (E. Fouquet, T. Roulet, R. Willem and I. Pianet), 103

Lanthanides
Organolanthanide catalyzed hydrogenation and hydrosilylation of substituted methylenecycloalkanes (G.A. Molander and J. Winterfeld), 275

Lanthanum
Synthesis and ESR-characterization of radical anion complexes of lanthanum. X-ray crystal structure of the mixed bipy, $bipy^{-1}$ complex of lanthanum(III) $[LaI_2(bipy)(bipy)(DME)]$: evidence for an inter-ligand charge transfer (M.N. Bochkarev, I.L. Fedushkin, V.I. Nevodchikov, V.K. Cherkasov, H. Schumann, H. Hemling and R. Weimann), 125

Manganese
Preparation, properties, and reactions of metal-containing heterocycles. XCIV. Manganese-induced synthesis and crystal structure of 3,5-di(adamant-1-yl)-1-thia-2,4-diphosphole (E. Lindner, E. Bosch, C. Maichle-Mößmer and U. Abram), 67

Regioselectivity in the nucleophilic functionalization of dibenzofuran, dibenzothiophene and xanthene complexes of $Mn(CO)_5^+$ (I. Verona, J.P. Gutheil, R.D. Pike and G.B. Carpenter), 71

Manganese carbonyl derivatives
Chemistry of vinylidene complexes. XII. Transmetalation of the μ-vinylidene ligand in the reaction of $Cp(CO)_2MnPt(\mu\text{-}C{=}CHPh)(dppp)$ with $Fe_2(CO)_9$. Formation of new PtFe, $PtFe_2$ and $PtFe_3$ complexes (A.B. Antonova, A.A. Johansson, N.A. Deykhina, E.D. Korniyets, N.I. Pavlenko, G.V. Burmakina, A.I. Rubaylo, A.G. Ginzburg and P.V. Petrovskii), 81

Mechanism
Electron transfer and chloride ligand dissociation in complexes $[(C_5Me_5)ClM(bpy)]^+ / [(C_5Me_5)M(bpy)]^n$ (M = Co, Rh, Ir; $n = 2$

+, +, 0, −): A combined electrochemical and spectroscopic investigation (W. Kaim, R. Reinhardt, E. Waldhör and J. Fiedler), 195

Metallacycle
Formation of vinyl and dithioformate metallacycles by insertion of an ester-functionalized alkyne or carbon disulfide into an Fe–H bond: crystal structure of *cis*-[Fe(CH=CHCOOMe)($Ph_2PCH_2CH_2PPh_2$)$_2$][BF_4] (S.S.P. Almeida, M.T. Duarte, L.M.D. Ribeiro, F. Gormley, A.M. Galvão, J.J.R. Fraústo Da Silva and A.J.L. Pombeiro), 63
Organoiridium catalyzed hydrogen isotope exchange: ligand effects on catalyst activity and regioselectivity (A.Y.L. Shu, W. Chen and J.R. Heys), 87
Preparation, properties, and reactions of metal-containing heterocycles. XCIV. Manganese-induced synthesis and crystal structure of 3,5-di(adamant-1-yl)-1-thia-2,4-diphosphole (E. Lindner, E. Bosch, C. Maichle-Mößmer and U. Abram), 67
Synthesis and crystal structure of the first metallabicycle cluster 2a-ruthenacyclopent[c,d]indenyl-triruthenium undecacarbonyl $Ru_4(CO)_{11}C_{15}H_{14}$ (P. Escarpa Gaede, S. Parsons and B.F.G. Johnson), 163

Metallocenes
Molecular structure of α,α-carbonium [1.1]ferrocenylruthenocenophane + BF_4^- salt (M. Watanabe, I. Motoyama and T. Takayama), 9

MOCVD
Novel chiral compounds of Group 13 metals: the X-ray crystal structures of [((S)-2-methylbutyl)$_2$M^{t}Bu$_2$]$_2$ (M = Ga or In) (M.A. Malik, S.W. Haggata, M. Motevalli and P. O'Brien), 95

Molecular orbital calculations
RPA AM1 calculations of NMR spin–spin coupling constants: geminal ^{119}Sn–^{119}Sn couplings (G.A. Aucar, E. Botek, S. Gómez, E. Sproviero and R.H. Contreras), 1

Nickel
Phospholyl compounds of nickel and uranium (T. Arliguie, M. Ephritikhine, M. Lance and M. Nierlich), 293

$NiCp_2$, Cp and Cp^* ligands
[$Ru_6(\mu_3\text{-}H)(\eta^2\text{-}\mu_4\text{-}CO)_2(\mu\text{-}CO)(CO)_{12}(\eta^5\text{-}C_5R_5)$] (R = H or Me): syntheses, X-ray structures and spectroscopic characterization (E. Kolehmainen, K. Rissanen, K. Laihia, Z.A. Kerzina, M.I. Rybinskaya and M. Nieger), 219

NMR
Organometallic-substituted allenes – determination of coupling signs and molecular structures of two stannylated allenes (B. Wrackmeyer, U. Dörfler, G. Kehr, H.E. Maisel and W. Milius), 169
RPA AM1 calculations of NMR spin–spin coupling constants: geminal ^{119}Sn–^{119}Sn couplings (G.A. Aucar, E. Botek, S. Gómez, E. Sproviero and R.H. Contreras), 1
[$Ru_6(\mu_3\text{-}H)(\eta^2\text{-}\mu_4\text{-}CO)_2(\mu\text{-}CO)(CO)_{12}(\eta^5\text{-}C_5R_5)$] (R = H or Me): syntheses, X-ray structures and spectroscopic characterization (E. Kolehmainen, K. Rissanen, K. Laihia, Z.A. Kerzina, M.I. Rybinskaya and M. Nieger), 219

Nuclear magnetic resonance
Halogen exchange in substituted allyltin halides studied by 2D NMR EXSY as a tool to assess reactivity (E. Fouquet, T. Roulet, R. Willem and I. Pianet), 103
Synthesis, characterization, and molecular structure of [$(CH_3)_2(C_5H_4)_2$]$Fe_2(\mu\text{-}CO)_2(CO)_2$ (W. Van den Berg, J.A.M.T.C. Cromsigt, W.P. Bosman, J.M.M. Smits, R. De Gelder, A.W. Gal and J. Heck), 281

Nucleophilic addition
Regioselectivity in the nucleophilic functionalization of dibenzofuran, dibenzothiophene and xanthene complexes of $Mn(CO)_3^+$ (I. Verona, J.P. Gutheil, R.D. Pike and G.B. Carpenter), 71

1,1-Organoboration
Organometallic-substituted allenes – determination of coupling signs and molecular structures of two stannylated allenes (B. Wrackmeyer, U. Dörfler, G. Kehr, H.E. Maisel and W. Milius), 169

Organotin compounds
Organometallic-substituted allenes – determination of coupling signs and molecular structures of two stannylated allenes (B. Wrackmeyer, U. Dörfler, G. Kehr, H.E. Maisel and W. Milius), 169

Orthometallation
Synthesis and crystal structure of the first metallabicycle cluster 2a-ruthenacyclopent[c,d]indenyl-triruthenium undecacarbonyl $Ru_4(CO)_{11}C_{15}H_{14}$ (P. Escarpa Gaede, S. Parsons and B.F.G. Johnson), 163

Osmium
Hexanuclear and pentanuclear benzene carbido clusters: synthesis, characterisation and molecular structures of [$Os_6C(CO)_{14}(\eta^6\text{-}C_6H_6)$], [$RuOs_5C(CO)_{14}(\eta^6\text{-}C_6H_6)$] and [$RuOs_4C(CO)_{12}(\eta^6\text{-}C_6H_6)$] (J.W.-S. Hui and W.-T. Wong), 211

Palladium
Synthesis and coordination chemistry of the tethered bis(cyclopentadienyl)-phosphine ligand precursor $PPh(CH_2CH_2C_5H_5)_2$: X-ray structure of *trans*-$PdCl_2[PPh(CH_2CH_2\text{-}\eta^5\text{-}C_5H_4)_2Fe]_2$ (O.J. Curnow, G. Huttner, S.J. Smail and M.M. Turnbull), 267

Phosphaalkyne
Preparation, properties, and reactions of metal-containing heterocycles. XCIV. Manganese-induced synthesis and crystal structure of 3,5-di(adamant-1-yl)-1-thia-2,4-diphosphole (E. Lindner, E. Bosch, C. Maichle-Mößmer and U. Abram), 67

Phosphine
Preparation, properties, and reactions of metal-containing heterocycles. XCIV. Manganese-induced synthesis and crystal structure of 3,5-di(adamant-1-yl)-1-thia-2,4-diphosphole (E. Lindner, E. Bosch, C. Maichle-Mößmer and U. Abram), 67
Synthesis and coordination chemistry of the tethered bis(cyclopentadienyl)-phosphine ligand precursor $PPh(CH_2CH_2C_5H_5)_2$: X-ray structure of *trans*-$PdCl_2[PPh(CH_2CH_2\text{-}\eta^5\text{-}C_5H_4)_2Fe]_2$ (O.J. Curnow, G. Huttner, S.J. Smail and M.M. Turnbull), 267

Phospholyl
Phospholyl compounds of nickel and uranium (T. Arliguie, M. Ephritikhine, M. Lance and M. Nierlich), 293

Platinum complexes
Chemistry of vinylidene complexes. XII. Transmetalation of the μ-vinylidene ligand in the reaction of $Cp(CO)_2MnPt(\mu\text{-}C{=}CHPh)$(dppp) with $Fe_2(CO)_9$. Formation of new PtFe, $PtFe_2$ and $PtFe_3$ complexes (A.B. Antonova, A.A. Johansson, N.A. Deykhina, E.D. Korniyets, N.I. Pavlenko, G.V. Burmakina, A.I. Rubaylo, A.G. Ginzburg and P.V. Petrovskii), 81

Polymers
Using metal–metal bond forming reactions as a synthetic strategy towards building polymers containing Fe–Fe and Fe–Sn–Fe bonds (P. McArdle, L. O'Neill, D. Cunningham and A.R. Manning), 289

Prictide
Novel chiral compounds of Group 13 metals: the X-ray crystal structures of [((S)-2-methylbutyl)$_2$M^{t}Bu$_2$]$_2$ (M = Ga or In) (M.A. Malik, S.W. Haggata, M. Motevalli and P. O'Brien), 95

Pyrrolylsilanes
Fluorosilyl(pyrrolyl)silylamines as precursors for intra- and intermolecularly stabilized iminosilanes (A. Frenzel, R. Herbst-Irmer, U. Klingebiel and S. Rudolph), 203

Rhenium
Half-sandwich rhenium(III) acyl complexes: synthesis, structure and conversion to rhenium(I) and rhenium(III) isonitrile complexes (A.C. Filippou, B. Lungwitz, G. Kociok-Köhn and I. Hinz), 133

Ring-coupled
Synthesis and characterization of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of Cr, Mo and W (R. Fierro, T.E. Bitterwolf, A.L. Rheingold, G.P.A. Yap and L.M. Liable-Sands), 19
RPA AM1 calculations
RPA AM1 calculations of NMR spin–spin coupling constants: geminal $^{119}Sn-^{119}Sn$ couplings (G.A. Aucar, E. Botek, S. Gómez, E. Sproviero and R.H. Contreras), 1
Ruthenium
Molecular structure of α,α-carbonium [1.1]ferrocenylruthenocenophane + BF_4^- salt (M. Watanabe, I. Motoyama and T. Takayama), 9
Synthesis and crystal structure of the first metallabicycle cluster 2a-ruthenacyclopent[c,d]indenyl-triruthenium undecacarbonyl $Ru_4(CO)_{11}C_{15}H_{14}$ (P. Escarpa Gaede, S. Parsons and B.F.G. Johnson), 163
Ruthenocene
Enantiomeric haloruthenocenium salts: synthesis of the first representatives with the use of asymmetric reduction and asymmetric cyclopalladation (I.A. Mamedyarova, M.N. Nefedova and V.I. Sokolov), 181

Samarium
Organolanthanide catalyzed hydrogenation and hydrosilylation of substituted methylenecycloalkanes (G.A. Molander and J. Winterfeld), 275
Sandwich complexes
Ein- und Mehrkernkomplexe des 9,10-Dihydro-9,10-dimethyl-9,10-diboraanthracens (P. Müller, H. Pritzkow und W. Siebert), 41
^{29}Si CP/MAS NMR
Novel bicyclic Si-ring systems (P. Gspaltl, S. Graschy, H. Siegl, E. Hengge and K. Gruber), 187
Silaethenes
Erzeugung, Nachweis und Stabilisierung isomerer Silaethene $R_2Si=C(SiR_3)_2$ mit jeweils sechs Me- und zwei Ph-Substituenten R (N. Wiberg, K.-S. Joo und K. Polborn), 147
Silicon
Novel bicyclic Si-ring systems (P. Gspaltl, S. Graschy, H. Siegl, E. Hengge and K. Gruber), 187
Organolanthanide catalyzed hydrogenation and hydrosilylation of substituted methylenecycloalkanes (G.A. Molander and J. Winterfeld), 275
Synthese und Kristallstrukturen von Cyclosilazanen mit ungewöhnlichen Konformationen (H.-J. Rakebrandt, U. Klingebiel, M. Noltemeyer, U. Wenzel und D. Mootz), 237
Silylmethanes
Erzeugung, Nachweis und Stabilisierung isomerer Silaethene $R_2Si=C(SiR_3)_2$ mit jeweils sechs Me- und zwei Ph-Substituenten R (N. Wiberg, K.-S. Joo und K. Polborn), 147
Spectroscopy
Using metal–metal bond forming reactions as a synthetic strategy towards building polymers containing Fe–Fe and Fe–Sn–Fe bonds (P. McArdle, L. O'Neill, D. Cunningham and A.R. Manning), 289
Spin–spin couplings
RPA AM1 calculations of NMR spin–spin coupling constants: geminal $^{119}Sn-^{119}Sn$ couplings (G.A. Aucar, E. Botek, S. Gómez, E. Sproviero and R.H. Contreras), 1
Strained alkene
First synthesis and X-ray crystal structure of 1,2-(1,1'-ferrocenediyl)ethene (V.K. Aggarwal, D. Jones, M.L. Turner and H. Adams), 263
Synthesis
Chemistry of vinylidene complexes. XII. Transmetalation of the μ-vinylidene ligand in the reaction of $Cp(CO)_2MnPt(\mu$-C=CHPh)(dppp) with $Fe_2(CO)_9$. Formation of new PtFe, $PtFe_2$ and $PtFe_3$ complexes (A.B. Antonova, A.A. Johansson, N.A. Deykhina, E.D. Korniyets, N.I. Pavlenko, G.V. Burmakina, A.I. Rubaylo, A.G. Ginzburg and P.V. Petrovskii), 81

Tetranuclear clusters
Chemistry of vinylidene complexes. XII. Transmetalation of the μ-vinylidene ligand in the reaction of $Cp(CO)_2MnPt(\mu$-C=CHPh)(dppp) with $Fe_2(CO)_9$. Formation of new PtFe, $PtFe_2$ and $PtFe_3$ complexes (A.B. Antonova, A.A. Johansson, N.A. Deykhina, E.D. Korniyets, N.I. Pavlenko, G.V. Burmakina, A.I. Rubaylo, A.G. Ginzburg and P.V. Petrovskii), 81
Tin
Halogen exchange in substituted allyltin halides studied by 2D NMR EXSY as a tool to assess reactivity (E. Fouquet, T. Roulet, R. Willem and I. Pianet), 103
Organometallic-substituted allenes – determination of coupling signs and molecular structures of two stannylated allenes (B. Wrackmeyer, U. Dörfler, G. Kehr, H.E. Maisel and W. Milius), 169
RPA AM1 calculations of NMR spin–spin coupling constants: geminal $^{119}Sn-^{119}Sn$ couplings (G.A. Aucar, E. Botek, S. Gómez, E. Sproviero and R.H. Contreras), 1
The molecular structure of tetrakis(trimethylstannyl)methane by gas electron diffraction (A. Haaland, V.I. Sokolov, H.V. Volden, S. Kühner and J. Weidlein), 285
Using metal–metal bond forming reactions as a synthetic strategy towards building polymers containing Fe–Fe and Fe–Sn–Fe bonds (P. McArdle, L. O'Neill, D. Cunningham and A.R. Manning), 289
Triple-decker complexes
Ein- und Mehrkernkomplexe des 9,10-Dihydro-9,10-dimethyl-9,10-diboraanthracens (P. Müller, H. Pritzkow und W. Siebert), 41
Tritiation
Organoiridium catalyzed hydrogen isotope exchange: ligand effects on catalyst activity and regioselectivity (A.Y.L. Shu, W. Chen and J.R. Heys), 87
Tungsten
Synthesis and characterization of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of Cr, Mo and W (R. Fierro, T.E. Bitterwolf, A.L. Rheingold, G.P.A. Yap and L.M. Liable-Sands), 19

Uranium
Phospholyl compounds of nickel and uranium (T. Arliguie, M. Ephritikhine, M. Lance and M. Nierlich), 293

Variable temperature NMR
Variable temperature proton NMR study and reductively-induced isomerisation and degradation of $[CpCr(CO)_2(SPh)]_2$. Crystal structure of $Cp_2Co[CpCr(SPh)_3]$ (L.Y. Goh, M.S. Tay, E. Sinn and R.G. Raptis), 31
Vinyl
Formation of vinyl and dithioformate metallacycles by insertion of an ester-functionalized alkyne or carbon disulfide into an Fe–H bond: crystal structure of *cis*-$[Fe(CH=CHCOOMe)(Ph_2PCH_2CH_2PPh_2)_2][BF_4]$ (S.S.P. Almeida, M.T. Duarte, L.M.D. Ribeiro, F. Gormley, A.M. Galvão, J.J.R. Fraústo Da Silva and A.J.L. Pombeiro), 63
Vinylidene complexes
Chemistry of vinylidene complexes. XII. Transmetalation of the μ-vinylidene ligand in the reaction of $Cp(CO)_2MnPt(\mu$-C=CHPh)(dppp) with $Fe_2(CO)_9$. Formation of new PtFe, $PtFe_2$ and $PtFe_3$ complexes (A.B. Antonova, A.A. Johansson, N.A. Deykhina, E.D. Korniyets, N.I. Pavlenko, G.V. Burmakina, A.I. Rubaylo, A.G. Ginzburg and P.V. Petrovskii), 81

X-ray crystal structures
Hybrid inorganic–organometallic compounds with gallium–gallium bonds (A.H. Cowley, A. Decken and C.A. Olazábal), 271
X-ray diffraction
$[Ru_6(\mu_3\text{-}H)(\eta^2\text{-}\mu_4\text{-}CO)_2(\mu\text{-}CO)(CO)_{12}(\eta^5\text{-}C_5R_5)]$ (R = H or Me): syntheses, X-ray structures and spectroscopic characterization (E. Kolehmainen, K. Rissanen, K. Laihia, Z.A. Kerzina, M.I. Rybinskaya and M. Nieger), 219
Syntheses and structures of cyclopentadienyl arsenic compounds. Part I: pentamethylcylopentadienyl arsenic dihalides (Cp^*AsX_2, X = F, Cl, Br, I) (E.V. Avtomonov, K. Megges, S. Wocadlo and J. Lorberth), 253
Synthesis, characterization, and molecular structure of $[(CH_3)_2\text{-}(C_5H_4)_2]Fe_2(\mu\text{-}CO)_2(CO)_2$ (W. Van den Berg, J.A.M.T.C. Cromsigt, W.P. Bosman, J.M.M. Smits, R. De Gelder, A.W. Gal and J. Heck), 281
X-ray structure
Synthesis and coordination chemistry of the tethered bis(cyclopentadienyl)-phosphine ligand precursor $PPh(CH_2CH_2C_5H_5)_2$: X-ray structure of *trans*-$PdCl_2[PPh(CH_2CH_2\text{-}\eta^5\text{-}C_5H_4)_2Fe]_2$ (O.J. Curnow, G. Huttner, S.J. Smail and M.M. Turnbull), 267
Synthesis and ESR-characterization of radical anion complexes of lanthanum. X-ray crystal structure of the mixed bipy, $bipy^{-1}$ complex of lanthanum(III) $[LaI_2(bipy)(bipy)(DME)]$: evidence for an inter-ligand charge transfer (M.N. Bochkarev, I.L. Fedushkin, V.I. Nevodchikov, V.K. Cherkasov, H. Schumann, H. Hemling and R. Weimann), 125
X-ray structure analyses
Alkinol- und Alkindiol-funktionalisierte Zirconocen-Verbindungen: Synthese, Struktur und Reaktionsverhalten (H. Lang, S. Weinmann, M. Herres, M. Weinmann, O. Walter, B. Nuber und L. Zsolnai), 49

Ytterbium
Organolanthanide catalyzed hydrogenation and hydrosilylation of substituted methylenecycloalkanes (G.A. Molander and J. Winterfeld), 275

Zirconocene
Alkinol- und Alkindiol-funktionalisierte Zirconocen-Verbindungen: Synthese, Struktur und Reaktionsverhalten (H. Lang, S. Weinmann, M. Herres, M. Weinmann, O. Walter, B. Nuber und L. Zsolnai), 49

Book Review
Gmelin Handbook of Inorganic and Organometallic Chemistry (G.J. Leigh)), 299